




Wood Oil Range

JSC Scumble® | JSC Coda®

 **JSC COATINGS**
INTERIOR & EXTERIOR FINISHES

JSC COATINGS WOOD OIL GUIDE | V3.6 | AUGUST 2026



Front Page: TMT Taiga Bevel Back Cladding coated in JSC Scumble Wood Oil colour Golden Sands | Hanleys Farm Showhome by Green Homes
This Page: TMT Taxon Vertical Cladding coated in JSC Scumble Wood Oil Colour Suede | Riverhead Garage by Ryse Construction

WHY CHOOSE THE JSC COATINGS RANGE?

Today's modern architectural designs demand timber products such as cladding, interior lining, and battens that offer both low maintenance and excellent lifetime performance. JSC has developed a range of coatings and application technologies that meet these requirements for both interior and exterior applications.

UNIQUE FEATURES OF THIS RANGE

- **Tailored for New Zealand:** Our coatings are specially designed for New Zealand's conditions and unique architectural styles.
- **Latest Trends:** Our colour palettes reflect the latest trends, providing both vibrant and natural options to showcase the timber's beauty.
- **Sustainability:** Advanced water-based timber coatings made from plant-based oils, featuring UV inhibitors and high-quality pigments for long-lasting protection.

JSC FACTORY COATINGS TECHNOLOGY

HOW JSC FACTORY COATINGS WORK

The JSC coating system enables weatherboards to be coated under controlled conditions with our state-of-the-art coating technology. The JSC coating system ensures coverage over the entire surface area of any profile in one pass while achieving a precise and consistent application rate. All the hard-to-reach areas of the profile are evenly coated with a first coat ensuring that once the second coat is applied on-site, a premium finish is achieved.

KEY BENEFITS



Premium finish



Cost saving



Saves time

JSC factory coating benefits explained:

- **Factory Applied First Coat:** A consistent, high-quality finish applied under controlled conditions.
- **Reduced On-Site Time:** Reduces the length of time scaffolding is required on site, reducing site costs.
- **Optimal Product Use:** Efficient use of product minimises wastage, ensuring a cleaner site and streamlined workflow.
- **Ready For Installation:** Boards are delivered dry, well-stacked, and ready for immediate installation.





TMT Taiga Cladding coated in JSC Coda Wood Oil colour Caliaby
JT Group Head Office & Manufacturing Facility | First Principles Architects | CAB-Creative

THE JSC TIMBER COATING PROCESS

JSC's coating process is meticulously designed to ensure your timber cladding, screens, battens, and interior linings look stunning and remain protected for years to come. Our streamlined process ensures consistency and quality throughout each stage, from selecting the perfect colour to the final application per the below:

HOW IT WORKS



Choose Colour



Order Cladding,
Panelling, or Battens



First Coat
(Factory Applied)



Timber Installation



Second Coat
(Applied On Site)

SUITABILITY & APPLICATION GUIDELINES

DARK COATINGS

Dark stain colours can enhance the visual appeal of timber but require careful consideration based on timber type and application:

- **Timber Suitability:** Not all timber species or timber profiles are suitable with dark coatings. Dark finishes have higher heat absorption which can lead to timber movement, cupping, warping and even potential splitting of boards. Consult with a JSC representative to make sure your chosen timber is suitable.
- **Application on Pre-Coated Timber:** JSC does not recommend applying dark coatings over timber that has previously been light or clear-coated. Once timber has been installed, exposure to UV and weathering can alter the surface, meaning a darker coating applied later may result in colour variation and inconsistent results. While JSC factory coating is applied to all four sides, applying a dark coating over an existing finish introduces variables outside JSC's control, and colour outcome and long-term performance cannot be guaranteed.
- **Professional Advice:** For best results, the JSC team can guide you in choosing suitable dark colours and provide tailored recommendations based on your project needs.

CLEAR COATINGS

Clear coated timber will weather naturally to various silvered/grey tones due to the absence of colour pigment or UV additive, while however, retaining the protective benefits of the natural oils. For a short period after application, the timber's natural colour will be visible but this will change as the weathering process begins.




When considering clear coating its important to understand:

- **Weathering Impact:** UV exposure causes natural greying, which can result in uneven weathering on areas with differing levels of exposure, such as eaves and gable ends. This can lead to a patchy appearance if not planned for.
- **Design Considerations:** For projects aiming to maintain a more consistent look, JSC offers colour alternatives like JSC Coda® Lava Grey that mimic a weathered appearance while ensuring uniformity across exposed and protected sections. To select the best option for your project and timber type, consult a JSC representative to ensure your goals and expectations align with the chosen coating.

WHICH JSC COATING IS RIGHT FOR YOU?

JSC offers a range of coatings to suit different project needs:

- JSC Scumble® is a high-pigment coating that delivers excellent coverage, longer recoating intervals, and enhanced protection. Suitable for interior and exterior applications, it is available in 10+ colours, making it ideal for projects prioritising durability, longevity, with a higher coverage finish. JSC Scumble's range leans towards natural tones inspired by the New Zealand landscape and creates a more covered look than JSC Coda®, while still retaining the natural timber appeal.
- JSC Coda® offers a semi-transparent finish, showcasing the natural grain and texture of the timber. With 15 colours and a clear option, it features a diverse colour palette, including striking, bold options suited to architectural projects with distinctive aesthetics. Also suitable for interior and exterior use.
- JSC Coda® Luxury Interior Wax often referred to as "Lux Wax" is crafted exclusively for interior use, providing a silky matte finish that enhances the timber's natural beauty while offering moisture protection and lasting performance.



JSC COATINGS RANGE

JSC Scumble® | JSC Coda®

Random Width Brushed TMT Taiga Vertical Shiplap Weatherboards coated in JSC Scumble® Wood Oil colour Nightfall
Hurley Architects | Craig Butland Photography





Alaskan Yellow Cedar Panelling coated in JSC Scumble® Wood Oil colour Desert
Ohauiti Residence | Transform Construction

JSC Scumble® is a high-pigment, water-based timber coating designed to offer exceptional protection and longevity. Its natural plant-based oil formulation includes UV inhibitors and high-quality pigments, which contribute to extended maintenance intervals and superior coverage compared to traditional wood oils.

Recoating is typically recommended every 2 to 4 years, depending on factors such as site exposure, timber species, coating colour, and maintenance. This timeframe serves as a conservative guideline, as with proper care and upkeep, many projects coated with JSC Scumble have shown durability well beyond this range, offering reliable performance in various conditions.

COLOUR PALETTE

The JSC Scumble range features 9 carefully curated colours, inspired by New Zealand's landscape and building styles. JSC Scumble provides higher tint coverage, creating a look that subtly blends the natural timber texture with a more evenly coated finish.

Our team can also provide guidance to help you choose the right colour and species to suit your project requirements. Please contact us for samples, colour guidance, or custom options, as additional colours may be available on request.

[REQUEST A SAMPLE BOX OR CUSTOM SAMPLES HERE](#)

FEATURES & BENEFITS

JSC Scumble® protects the timber from the weather and offers other key benefits:

- Provides a higher tint coverage for superior timber protection with plant-based oil ingredients
- Water-based product
- Very low VOC
- Fast drying – a second coat can take 24-48 hours to dry in optimal conditions
- Easy application process
- Weather resistant
- Inhibits fungal growth
- Strong water and dirt repellence

RECOMMENDED USES


JSC Scumble Wood Oil is perfect for interior & exterior applications like:

- Timber Cladding
- Timber Soffits
- Timber Panelling & Ceilings
- Timber Joinery
- Pergolas & Decorative screens
- Fences


JSC SCUMBLE® WOOD OIL COLOUR RANGE

2 COATS


JSC SCUMBLE FROST




JSC SCUMBLE WEONA




JSC SCUMBLE ASH



JSC SCUMBLE STEEL



JSC SCUMBLE NIGHTFALL



Important Note: All colour samples are two coats. Unlike paints, it is difficult to predict precisely how the coating will look once applied, as the appearance of stain coatings are influenced by the finish, grain, and colour of your chosen timber. Therefore, we recommend that the chosen colour is trialled on an actual timber sample prior to the final coating. When choosing dark colours, careful consideration must be given to the site, timber species, the board profile and board size for the best results. Visit jsc.co.nz/coatings for more information.

JSC SCUMBLE SUEDE

Taxon	Taiga	Amba	Western Red Cedar	Alaskan Yellow Cedar	Radiata Pine
				Colour may not suitable on this timber species in exterior applications. Speak to a rep.	Colour not suitable on this timber species in exterior applications

JSC SCUMBLE GOLDEN SANDS*

Taxon	Taiga	Amba	Western Red Cedar	Alaskan Yellow Cedar	Radiata Pine

JSC SCUMBLE DESERT

Taxon	Taiga	Amba	Western Red Cedar	Alaskan Yellow Cedar	Radiata Pine
					Colour not suitable on this timber species in exterior applications

JSC SCUMBLE NUTS

Taxon	Taiga	Amba	Western Red Cedar	Alaskan Yellow Cedar	Radiata Pine
					Colour not suitable on this timber species in exterior applications

JSC SCUMBLE CANYON CLAY

Taxon	Taiga	Amba	Western Red Cedar	Alaskan Yellow Cedar	Radiata Pine
					Colour not suitable on this timber species in exterior applications

Full disclaimer: Visit jsc.co.nz/coatings for more information. *Note: JSC Scumble Golden Sands is no longer available - See JSC Coda Golden Sands on JSC website as a suitable alternative.





Western Red Cedar Vertical Cladding coated in JSC Coda Wood Oil colour Walnut
Hallmark Homes Prestige Show Home Oakbridge | Anna McLeod Photography

JSC Coda® Wood Oil is a premium water-based wood oil that cares for the timber long after being initially coated. Coda's vibrant colour palette is semi-transparent and enhances the natural variations of the grain and texture, showing off the timber grain detail beautifully. It has been specially developed by JSC to cater to the New Zealand market and is formulated for our uniquely varied climatic conditions.

The ingredients include UV inhibitors and high-quality pigments to ensure longer-lasting coatings and longer than average intervals between maintenance coats. Recoating is typically recommended every 2 to 3 years, depending on factors such as site exposure, timber species, coating colour, and maintenance. This timeframe serves as a conservative guideline, as with proper care and upkeep this timeframe could be longer.

COLOUR PALETTE

The JSC Coda Wood Oil range includes 15 versatile colours and a clear option, balancing bold, striking tones with timeless neutrals. Our **Lava Grey** colour is a beautiful pre-grey option that mimics the weathered appearance of timber that has been exposed to the elements. This colour has a slightly different base composition in comparison to the other colours in this range, but still has the same long-lasting protection.

For custom colour options, samples, and guidance in choosing the right colour and species for your project please contact us.

FEATURES & BENEFITS

- Enhances the natural grain and texture
- Protection from the elements
- Protection from destructive fungi and mould
- Vibrant palette
- Non-film forming
- Good penetration into the wood
- Hydrophobic properties
- Moisture resistant

RECOMMENDED USES

JSC Coda Wood Oil is perfect for interior & exterior applications like:


- Timber Cladding
- Timber Soffits
- Timber Joinery
- Pergolas & Decorative screens
- Timber Panelling
- Fences
- Decking*

*Coating for decking only recommended in our clear coating option.


JSC CODA® WOOD OIL COLOUR RANGE

2 COATS


JSC CODA MAPLE




JSC CODA AURUM



JSC CODA WALNUT



JSC CODA LOAM



JSC CODA CALIABY



Important Note: All colour samples are two coats. Unlike paints, it is difficult to predict precisely how the coating will look once applied, as the appearance of stain coatings is influenced by the finish, grain, and colour of your chosen timber. Therefore, we recommend that the chosen colour is trialled on an actual timber sample prior to the final coating. When choosing dark colours, careful consideration must be given to the site, timber species, the board profile and board size for the best results. Visit jsc.co.nz/coatings for more information.

JSC CODA LAVA GREY

Taxon	Taiga	Amba	Western Red Cedar	Alaskan Yellow Cedar	Radiata Pine
-------	-------	------	-------------------	----------------------	--------------

JSC CODA SILVER FOX

Taxon	Taiga	Amba	Western Red Cedar	Alaskan Yellow Cedar	Colour not suitable on this timber species in exterior applications Radiata Pine
-------	-------	------	-------------------	----------------------	--

JSC CODA CLOUD

Taxon	Taiga	Amba	Western Red Cedar	Colour may not suitable on this timber species in exterior applications. Speak to a rep. Alaskan Yellow Cedar	Colour not suitable on this timber species in exterior applications Radiata Pine
-------	-------	------	-------------------	---	--

JSC CODA SHADOW


Taxon	Taiga	Amba	Western Red Cedar	Colour may not suitable on this timber species in exterior applications. Speak to a rep. Alaskan Yellow Cedar	Colour not suitable on this timber species in exterior applications Radiata Pine
-------	-------	------	-------------------	---	--

JSC CODA GALAXY


Taxon	Taiga	Amba	Western Red Cedar	Colour may not suitable on this timber species in exterior applications. Speak to a rep. Alaskan Yellow Cedar	Colour not suitable on this timber species in exterior applications Radiata Pine
-------	-------	------	-------------------	---	--

Full disclaimer: Visit jsc.co.nz/coatings for more information.


JSC CODA BLAZE




JSC CODA SOLARIS




JSC CODA IRIS



JSC CODAZINC



JSC CODA SANTORINI



Full disclaimer: Visit jsc.co.nz/coatings for more information.






At JSC, we understand that your interior wooden surfaces are an investment, which is why we've developed a product that offers superior protection and longevity - Introducing JSC Coda® "Lux Wax".

Designed to protect and enhance interior timber, JSC Coda® Lux Wax is a water-based acrylic coating that provides long-lasting resistance to stains, soiling, and moisture while preserving the natural beauty of timber.

COLOUR PALETTE

JSC Coda Lux Wax is offered in white wash, brown, black, and clear options, but we understand that sometimes you may want a little more colour to match the rest of your design therefore for customised options speak to a JSC representative for assistance and advice.

1 coat on Western Red Cedar. The below is a representation only - Request a sample.



CLEAR

WHITE WASH

BROWN

BLACK

FEATURES & BENEFITS

- UV Protection
- Good chemical resistance
- Moisture regulating
- Reduces its susceptibility to scratching
- Easy to apply due to good flow properties
- Odourless after drying
- Fast drying
- Highly transparent, silk finish
- Enhances the structure and grain
- Significantly reduces the yellowing of wood

RECOMMENDED USES

JSC Coda Luxury Interior Wax is perfect for interior applications:

- Timber Ceilings
- Timber Panelling
- Timber Feature Walls

Suitable for interior use only

CONTAINER SIZES

- 1L | 4L | 10L



PREMIUM ARCHITECTURAL
& BUILDING SOLUTIONS

jsc.co.nz

TechHelp@jsc.co.nz | Sales@jsc.co.nz

FIND JSC ONLINE



AUCKLAND

(09) 412 2800
22 Sawmill Road
Riverhead

HAMILTON

0800 57 26 88
43 McKee Street
Pukete

WELLINGTON

0800 57 26 88
61 Seaview Road
Seaview

CHRISTCHURCH

(03) 348 9726
23 William Lewis Drive
Sockburn