



# JSC TMT WEATHERBOARD PROFILES

## VERTICAL SHIPLAP WEATHERBOARDS


### SQUARE EDGES PROFILES - 6mm CHANNEL



### BEVELLED EDGES PROFILES - 6mm CHANNEL



## VERTICAL BOARD & BATTEN




\*NOTE: TMT124 to be used as corner profile only


\*NOTE: Profiles not available in TMT Taiga

## RUSTICATED HORIZONTAL WEATHERBOARDS

### DOUBLE SPLAY RUSTIC PROFILES - 6mm CHANNEL




## BEVEL BACK WEATHERBOARDS




## EXTERIOR MOULDINGS

### EXTERNAL CORNER MOULDINGS




### FASCIA BOARDS




## EXTERIOR MOULDINGS


### SCRIBER



### EAVES MOULD



### INTERNAL CORNER MOULDING



## NOTES

1. Custom profiles available upon request.
2. Not all lengths are available in all profiles.
3. Profiles on this chart show the standard JSC Profile range.
4. Not all profiles or lengths are in stock.
5. Profiles are available in Band Sawn finish. Dressed and Brushed finishes are available depending on chosen specie and coating requirement.
6. Fixings: 316 Stainless Steel Annular Grooved Nails.
7. Details are subject to change without notification. Refer to [www.jsc.co.nz](http://www.jsc.co.nz) for up to date documentation.
8. JSC weatherboards must be installed by a suitably qualified and experienced tradesperson in accordance with the chosen cladding specification, installation and maintenance documentation.

[www.jsc.co.nz](http://www.jsc.co.nz)

0800 57 26 88